

Trading name:	<b>BLUING REAGENT</b>		
Product code:	BR-OT-X**	Date of compilation:	23 January 2023
		Version:	7

<b>SECTION 1: Identification of the substance/mixture and of the company/undertaking</b>		
1.1.	Product identifier	
	Trading name:	BLUING REAGENT
	Chemical name:	-
	Catalogue number:	BR-OT-X**
1.2.	Relevant identified uses of the substance or mixture and uses advised against	
	Uses:	For conversion of red hematoxylin stained nuclei to blue.
	Uses advised against:	Only the identified uses are advised.
	Reason why uses advised against:	The product is intended for use only as an <i>in vitro</i> diagnostic medical device, registered at the Agency for Medicinal Products and Medical Devices and there is no reason to use it for other purposes
1.3.	Details of the supplier of the safety data sheet	
	Supplier:	BioGnost Ltd.
	Address:	Medjugorska 59, Zagreb
	Telephone number:	+385 1 2409997
	Fax no.:	+385 1 2404039
	e-mail of competent person:	<a href="mailto:msds@biognost.hr">msds@biognost.hr</a>
	National contact:	-
1.4.	Emergency telephone number	
	National Protection and Rescue Directorate:	112
	Medical information:	+385 1 2348 342
	Other information:	-

<b>SECTION 2. Hazards identification</b>		
2.1.	Classification of the substance or mixture	
2.1.1.	Classification according to Regulation (EC) No 1272/2008 (CLP)	
	Hazard class and category code:	Hazard statements*:
	Not identified as hazardous substance.	-
2.1.2.	Additional information	
	-	
*For full text of Hazard- and EU Hazard-statements: see Section 16		
2.2.	Label elements	
	Product identification:	BLUING REAGENT
	Identification number:	-
	Authorization no.:	-
	Hazard pictograms:	-

Trading name:	<b>BLUING REAGENT</b>			
Product code:	BR-OT-X**	Date of compilation:	23 January 2023	Version: 7

Signal word:	-
Hazard statements:	-
Precautionary statements:	-
Supplemental hazard information (EU):	-
<b>2.3. Other hazards</b>	
<b>Endocrine Disrupting Properties:</b>	
No known endocrine disrupting properties.	

<b>SECTION 3. Composition/information on ingredients</b>				
CAS/EC/ Index no.	REACH Registration No	Weight % content (or range)	Identification name	Classification according to Regulation (EC) No 1272/2008 (CLP)
-	-	-	Contains no hazardous substances	-

<b>SECTION 4. First aid measures</b>	
<b>4.1.</b>	<b>Description of first aid measures</b>
General notes:	-
Following inhalation:	Carry the afflicted person out of the contaminated area into a well-ventilated area or out for fresh air. If breathing becomes erratic or it stops, immediately apply artificial respiration (other than mouth-to-mouth) and contact a physician.
Following skin contact:	Remove contaminated clothing. Immediately wash with plenty of water and soap. Seek medical assistance if the symptoms of irritation remain.
Following eye contact:	Rinse out with plenty of water with the eyelid held wide open using clean fingers. If the symptoms remain, immediately call a physician.
Following ingestion:	Do not induce vomiting. Make the afflicted person drink a glass of water. If spontaneous vomiting occurs, wash the mouth with water, then make the person drink 100-200 ml of water and seek medical attention.
Self-protection of the first aider:	Treat symptomatically.
<b>4.2.</b>	<b>Most important symptoms and effects, both acute and delayed</b>
Following inhalation:	No information available
Following skin contact:	No information available
Following eye contact:	No information available
Following ingestion:	No information available
<b>4.3.</b>	<b>Indication of any immediate medical attention and special treatment needed</b>

Trading name:	<b>BLUING REAGENT</b>				
Product code:	BR-OT-X**	Date of compilation:	23 January 2023	Version:	7

-
---

<b>SECTION 5. Firefighting measures</b>					
5.1.	Extinguishing media				
	<table border="0"> <tr> <td>Suitable extinguishing media:</td> <td>Small fire - water spray, dry powder, CO<sub>2</sub> Large fire - water spray or alcohol-resistant foam</td> </tr> <tr> <td>Unsuitable extinguishing media:</td> <td>water jet</td> </tr> </table>	Suitable extinguishing media:	Small fire - water spray, dry powder, CO <sub>2</sub> Large fire - water spray or alcohol-resistant foam	Unsuitable extinguishing media:	water jet
Suitable extinguishing media:	Small fire - water spray, dry powder, CO <sub>2</sub> Large fire - water spray or alcohol-resistant foam				
Unsuitable extinguishing media:	water jet				
5.2.	Special hazards arising from the substance or mixture				
	Hazardous combustion products: No information available				
5.3.	Advice for firefighters				
	Use a self-contained open-circuit compressed air breathing apparatus and fireproof clothing. Cool closed containers exposed to fire with water spray or vapor.				
5.4.	Additional information				
	Remove sources of heat and ignition. Do not contaminate the environment with extinguishing media.				

<b>SECTION 6. Accidental release measures</b>							
6.1.	Personal precautions, protective equipment and emergency procedures						
6.1.1.	For non-emergency personnel						
	<table border="0"> <tr> <td>Protective equipment:</td> <td>Use personal protective equipment (see Section 8).</td> </tr> <tr> <td>Accident prevention methods:</td> <td>Evacuate members of all non-essential personnel and those members without protective equipment. Remove all sources of sparks and ignition. Do not smoke.</td> </tr> <tr> <td>Emergency procedures:</td> <td>Mark the area using proper signs.</td> </tr> </table>	Protective equipment:	Use personal protective equipment (see Section 8).	Accident prevention methods:	Evacuate members of all non-essential personnel and those members without protective equipment. Remove all sources of sparks and ignition. Do not smoke.	Emergency procedures:	Mark the area using proper signs.
Protective equipment:	Use personal protective equipment (see Section 8).						
Accident prevention methods:	Evacuate members of all non-essential personnel and those members without protective equipment. Remove all sources of sparks and ignition. Do not smoke.						
Emergency procedures:	Mark the area using proper signs.						
6.1.2.	For emergency responders:						
	Wear protective equipment (see Section 8).						
6.2.	Environmental precautions:						
	Do not dispose of in sewage, drainage system and waterways. In case of large spillage contact National Protection and Rescue Directorate (NPRD) on 112.						
6.3.	Methods and material for containment and cleaning up						
6.3.1.	<table border="0"> <tr> <td>Bundling, covering of drains; capping procedures:</td> <td>Sand or clay barriers.</td> </tr> </table>	Bundling, covering of drains; capping procedures:	Sand or clay barriers.				
Bundling, covering of drains; capping procedures:	Sand or clay barriers.						

Trading name:	<b>BLUING REAGENT</b>		
Product code:	BR-OT-X**	Date of compilation:	23 January 2023
		Version:	7

6.3.2.	Cleaning up:	Where possible, the substance can be absorbed by using inflammable material (sand, diatomaceous earth, vermiculite). Place the waste material in tightly closed impermeable containers. Store the substance in well ventilated storage rooms until disposal. Submit for disposal to the legal persons authorized by the Ministry of Environmental and Nature Protection. After disposal of the products, wash the area and involved materials with water.
6.3.3.	Other information:	-
6.4.	Reference to other sections	
	See Section 7 for information about secure handling. See Section 8 for information about personal protective equipment. See Section 13 for information about containment.	

<b>SECTION 7. Handling and storage</b>		
7.1.	Precautions for safe handling	
7.1.1.	Protection measures	
	Measures to prevent fire:	Keep away from sources of heat and ignition. Do not smoke.
	Measures to prevent aerosol and dust generation:	Secure proper ventilation.
	Measures to protect the environment:	Prevent spilling into the sewage system and waterways.
	Other measures:	-
7.1.2.	Advice on general occupational hygiene:	
	Do not eat, drink or smoke in the workspace. Thoroughly wash hands after work and before eating.	
7.2.	Conditions for safe storage, including any incompatibilities	
	Technical measures and storage conditions:	Keep in tightly closed and upright set containers in a well ventilated storage rooms, and away from sources of heat, sunlight, and other incompatible substances.
	Packaging materials:	Manufacturer's original packaging.
	Requirements for storage rooms and vessels:	Keep away from food and drink. Keep the containers tightly closed.
	Advices for storage equipment:	The storage must be made of hard material; floors must be resistant to chemicals. There must be no drain that directly leads into sewage system. Secure proper ventilation.
	Further information on storage conditions:	Do not place the unused material in the storage room and do not use empty containers for storing other chemicals. Do not store with incompatible materials (see Section 9).
7.3.	Specific end use(s)	

Trading name:	<b>BLUING REAGENT</b>				
Product code:	BR-OT-X**	Date of compilation:	23 January 2023	Version:	7

Recommendations:	-
Industrial sector specific solutions:	-

**SECTION 8. Exposure controls/personal protection**

**8.1. Control parameters**

Substance	CAS No	Occupational exposure limit values/short term values		Biological limit values
		ppm	mg/m <sup>3</sup>	
-	-	-	-	No information available

Substance name:	-
EC No:	-
CAS No:	-

**DNEL**

**Industrial**

Route of exposure:	Acute effect local	Acute effect systemic	Chronic effect local	Chronic effect systemic
Oral	-	-	-	-
Inhalation	-	-	-	-
Dermal	-	-	-	-

Critical physical parameters: solubility, flammability, corrosivity: -

**Consumer**

Route of exposure:	Acute effect local	Acute effect systemic	Chronic effect local	Chronic effect systemic
Oral	-	-	-	-
Inhalation	-	-	-	-
Dermal	-	-	-	-

**PNEC**

Environmental protection target	PNEC
Fresh water	No information available
Freshwater sediments	No information available
Marine water	No information available
Marine sediments	No information available
Food chain	No information available
Microorganisms in sewage treatment	No information available
Soil (agricultural)	No information available

Trading name:	<b>BLUING REAGENT</b>		
Product code:	BR-OT-X**	Date of compilation:	23 January 2023
		Version:	7

Air	No information available	
8.2. Exposure controls		
8.2.1. Appropriate engineering controls		
	Substance/mixture related measures to prevent exposure during identified uses:	Use the product in well ventilated rooms. Use personal protective equipment. Do not eat, drink or smoke in the workspace.
	Structural measures to prevent exposure:	No information available
	Organisational measures to prevent exposure:	Organization of work in order to reduce other worker's influence during work process.
	Technical measures to prevent exposure:	Secure proper workspace ventilation in order to keep concentration levels in air below permitted levels.
8.2.2. Personal protection equipment		
8.2.2.1.	Eye and face protection:	Safety glasses that stick to face (preventing splashing) (EN 166) or visor.
8.2.2.2. Skin protection		
	Hand protection:	Protective gloves must be according to the EU Directive 2016/425/EEC and standard EN 374. Glove material: nitrile rubber Glove thickness: ≥0.50 mm Break through time: >480 min
	Other skin protection:	Wear antistatic clothing made of natural fibers (such as cotton) with long sleeves (EN 13034), and shoes that cover the entire foot (EN 10335).
8.2.2.3.	Respiratory protection:	Protective full face mask (EN 136) or half mask (EN 140) equipped with a filter for organic vapors, type "A" (boiling point >65°C) according to EN 14387) used when concentration levels exceed GVI.
8.2.2.4.	Thermal hazards:	No information available
8.2.3. Environmental exposure controls		
	Substance/mixture related measures to prevent exposure:	See Section 6
	Structural measures to prevent exposure:	Use modern equipment.
	Organisational measures to prevent exposure:	Adapt the work process to the required working conditions of the workplace.
	Technical measures to prevent exposure:	See Section 6

**SECTION 9. Physical and chemical properties**

Trading name:	<b>BLUING REAGENT</b>		
Product code:	BR-OT-X**	Date of compilation:	23 January 2023
		Version:	7

9.1.	Information on basic physical and chemical properties		
		Value	Method
	Physical state:	liquid	No information available
	Color:	light blue	No information available
	Odour/odour threshold:	no information available/no information available	No information available
	Melting point / freezing point:	No information available	No information available
	Boiling point or initial boiling point and boiling range:	No information available	No information available
	Flammability:	No information available	No information available
	Lower and upper explosion limit:	No information available	No information available
	Flash point:	No information available	No information available
	Auto-ignition temperature:	No information available	No information available
	Decomposition temperature:	No information available	No information available
	pH:	>8.0	No information available
	Kinematic viscosity:	No information available	No information available
	Solubility:	No information available	No information available
	Partition coefficient n-octanol/water (log value):	No information available	No information available
	Vapour pressure:	No information available	No information available
	Density and/or relative density	No information available	No information available
	Relative vapour density:	No information available	No information available
	Particle characteristics:	No information available	No information available
9.2.	Other information		
	-		

SECTION 10.: Stability and reactivity		
10.1.	Reactivity:	See subsections 10.3 through 10.5.
10.2.	Chemical stability:	The product is chemically stable under standard ambient conditions of storing and using.
10.3.	Possibility of hazardous reactions:	No information available.
10.4.	Conditions to avoid:	No information available.
10.5.	Incompatible materials:	No information available.
10.6.	Hazardous decomposition products:	No information available.

SECTION 11. Toxicological information
---------------------------------------

Trading name:	<b>BLUING REAGENT</b>				
Product code:	BR-OT-X**	Date of compilation:	23 January 2023	Version:	7

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008					
Acute toxicity:					
Route of exposure:	Method	Species	Effective Dose LD <sub>50</sub> /LC <sub>50</sub> or ATE <sub>mixture</sub>	Exposure time	Results
Oral exposure:	No information available	-	LD <sub>50</sub>	-	-
Dermal exposure:	No information available	-	LD <sub>50</sub>	-	-
Inhalation exposure:	No information available	-	LC <sub>50</sub>	-	-
Specific target organ toxicity – single exposure (STOT SE):					
	Specific effects		Target organ		Note
Oral exposure:	No information available		No information available	-	
Dermal exposure:	No information available		No information available	-	
Inhalation exposure:	No information available		No information available	-	
Aspiration hazard: No information available					
Irritation and corrosion:					
	Exposure time	Species	Evaluation	Method	Note
Skin irritation:	-	-	-	-	-
Eye irritation:	-	-	-	-	-
Sensitization					
Dermal exposure:	No information available				
Inhalation exposure:	No information available				
Symptoms related to the physical, chemical and toxicological characteristics					
Oral exposure:	Swallowing may cause irritation of mucosa, tingling sensation in the mouth, burning sensation; higher levels of concentration may cause nausea, abdominal pain and vomiting. In case of vomiting, aspiration causes coughing, difficult breathing. Higher levels of concentration may cause suffocation.				
Dermal exposure:	Slight irritation. After short exposure, resorption effects are not likely. Long-term exposure may cause drying, cracking and tingling sensation of skin.				



Trading name:	<b>BLUING REAGENT</b>		
Product code:	BR-OT-X**	Date of compilation:	23 January 2023
		Version:	7

Inhalation exposure:	Inhalation of large amounts of vapors in inadequately ventilated perimeter may cause coughing, sneezing, headache and nausea.
Eye exposure:	Direct eye contact may cause slight to moderate irritation, lacrimation and burning sensation.

Repeated dose toxicity (subacute, subchronic, chronic)

	Dose	Exposure time	Species	Method	Evaluation	Note
Subacute oral	No information available	No information available	No information available	No information available	No information available	-
Subacute dermal	No information available	No information available	No information available	No information available	No information available	-
Subacute inhalation	No information available	No information available	No information available	No information available	No information available	-
Subchronic oral	No information available	No information available	No information available	No information available	No information available	-
Subchronic dermal	No information available	No information available	No information available	No information available	No information available	-
Subchronic inhalation	No information available	No information available	No information available	No information available	No information available	-
Chronic oral	No information available	No information available	No information available	No information available	No information available	-
Chronic dermal	No information available	No information available	No information available	No information available	No information available	-
Chronic inhalation	No information available	No information available	No information available	No information available	No information available	-

Specific target organ toxicity – repeated exposure (STOT RE):

	Specific effects	Target organ	Note
Subacute oral	No information available	No information available	-
Subacute dermal	No information available	No information available	-
Subacute inhalation	No information available	No information available	-

Trading name:	<b>BLUING REAGENT</b>				
Product code:	BR-OT-X**	Date of compilation:	23 January 2023	Version:	7

Subchronic oral	No information available	No information available	-
Subchronic dermal	No information available	No information available	-
Subchronic inhalation	No information available	No information available	-
Chronic oral	No information available	No information available	-
Chronic dermal	No information available	No information available	-
Chronic inhalation	No information available	No information available	-

CMR effects (carcinogenicity; mutagenicity; reproductive toxicity)	
Carcinogenicity:	Current studies on test animals did not indicate carcinogenic effects.
Mutagenicity <i>in-vitro</i> :	Current <i>in vitro</i> tests did not indicate mutagenic effects.
Genotoxicity:	No information available
Mutagenicity <i>in-vivo</i> :	Current <i>in vivo</i> tests did not indicate mutagenic effects.
Germ cell mutagenicity:	No information available
Reproductive toxicity:	No toxicity on reproductive organs was determined in reproductive organs.
Summary of evaluation of the CMR properties: -	

11.2.	Information on other hazards:
11.2.1.	Endocrine disrupting properties:
	No known endocrine disrupting properties that affect human health.
11.2.2.	Other informations:
	-

SECTION 12. Ecological information						
12.1. Toxicity						
Acute toxicity	Dose	Exposure time	Species	Method	Evaluation	Note
Fish	LC <sub>50</sub>	96 hours	No information available	No information available	-	-
Crustacea:	EC <sub>50</sub>	48 hours	No information available	No information available	-	-
Algae/aquatic plants	IC <sub>50</sub>	8 days	No information available	No information available	-	-
Microorganisms	LC <sub>50</sub>	72 hours	-	-	-	-
Chronic (long-term) toxicity	Dose	Exposure time	Species	Method	Evaluation	Note

Trading name:	<b>BLUING REAGENT</b>					
Product code:	BR-OT-X**	Date of compilation:	23 January 2023	Version:	7	

Fish	LC <sub>50</sub>	96 hours	No information available	No information available	No information available	-
Crustacea:	EC <sub>50</sub>	48 hours	No information available	No information available	No information available	-
Algae/aquatic plants	IC <sub>50</sub>	72 hours	No information available	No information available	No information available	-
Other organisms	-	-	-	-	-	-

**12.2. Persistence and degradability**

**Abiotic degradation**

	Degradation half-lives	Method	Evaluation	Note
Marine water	No information available	No information available	No information available	-
Fresh water	No information available	No information available	No information available	-
Air	No information available	No information available	No information available	-
Soil	No information available	No information available	No information available	-

**Biodegradation**

% Degradation	Time (days)	Method	Evaluation	Note
No information available	No information available	No information available	No information available	No information available

**12.3. Bioaccumulative potential**

**Octanol-water partition coefficient (log K<sub>ow</sub>)**

Value	Concentration	pH	°C	Method	Evaluation	Note
-	No information available	-	-	No information available	No information available	-

**Bioconcentration factor (BCF)**

Value	Species	Method	Evaluation	Note

Trading name:	<b>BLUING REAGENT</b>				
Product code:	BR-OT-X**	Date of compilation:	23 January 2023	Version:	7

No information available	No information available	No information available	No information available	No information available
--------------------------	--------------------------	--------------------------	--------------------------	--------------------------

--

Chronic ecotoxicity						
Value	Dose	Exposure time	Species	Method	Evaluation	Note
Chronic toxicity on fish	LC <sub>50</sub>	No information available	No information available	No information available	No information available	-
Chronic toxicity on crustacea ( <i>Daphnia</i> )	EC <sub>50</sub>	No information available	No information available	No information available	No information available	-

--

<b>12.4.</b>	<b>Mobility in soil</b>
--------------	-------------------------

Known or predicted distribution in environmental compartments:
--

No information available
--------------------------

Surface tension:
------------------

Value	°C	Concentration	Method	Note
No information available	No information available	No information available	No information available	-

--

Adsorption / desorption
-------------------------

Transport	A/D coefficient Henry's constant	log Kow	Evaporation rate	Method	Note
Soil-water	No information available	No information available	No information available	No information available	-
Water-air	No information available	No information available	No information available	No information available	-
Soil-air	No information available	No information available	No information available	No information available	-

--

<b>12.5.</b>	<b>Results of PBT and vPvB assessment</b>
--------------	---

No information available
--------------------------

Trading name:	<b>BLUING REAGENT</b>		
Product code:	BR-OT-X**	Date of compilation:	23 January 2023
		Version:	7

12.6.	Endocrine disrupting properties
	No known endocrine disrupting properties that affect the environment.
12.7.	Other adverse effects
	No adverse effects are expected.
<b>SECTION 13. Disposal considerations</b>	
13.1.	Waste treatment methods
13.1.1.	Product/Packaging disposal:
	Submit for disposal to the legal person authorized by the Ministry of Environmental and Nature Protection.
13.1.2.	Waste codes/waste designations according to Law:
	No information available
13.1.3.	Waste treatment – relevant information:
	No information available
13.1.4.	Sewage disposal – relevant information:
	Waste must not be disposed of into the sewage system.
13.1.5.	Other disposal recommendations:
	Do not dispose of the product's remains into the sewage system. Submit the remains to the collectors authorized by the ministry in charge. Do not dispose of the packaging into the sewage system. Submit the packaging to the collectors authorized by the ministry in charge. Do not dispose of in places where ignition may occur.
13.1.6.	Relevant Community provisions:
	-
<b>SECTION 14. Transport information</b>	
	Transporting/shipment by road (ADR)
UN number:	Not subject to transport regulations.
UN proper shipping name:	-
Transport hazard class(es):	-

Trading name:	<b>BLUING REAGENT</b>				
Product code:	BR-OT-X**	Date of compilation:	23 January 2023	Version:	7

Packing group:	-
Environmentally hazardous:	-
Special precautions for user:	-

Transporting/shipment by rail (RID)	
UN number:	Not subject to transport regulations.
UN proper shipping name:	-
Transport hazard class(es):	-
Packing group:	-
Environmentally hazardous:	-
Special precautions for user:	-

Inland waterway transport (ADN)	
UN number:	Not subject to transport regulations.
UN proper shipping name:	-
Transport hazard class(es):	-
Packing group:	-
Environmentally hazardous:	-
Special precautions for user:	-

Transporting/shipment by sea (IMDG)	
UN number:	Not subject to transport regulations.
UN proper shipping name:	-
Transport hazard class(es):	-
Packing group:	-
Environmentally hazardous:	-
Special precautions for user:	-

Transporting/shipment by air (ICAO-TI/IATA-DGR)	
UN number:	Not subject to transport regulations.
UN proper shipping name:	-
Transport hazard class(es):	-
Packing group:	-
Environmentally hazardous:	-
Special precautions for user:	-

Further information:	The product is not subject to classification.
----------------------	---

**SECTION 15. Regulatory information**

Trading name:	<b>BLUING REAGENT</b>		
Product code:	BR-OT-X**	Date of compilation:	23 January 2023
		Version:	7

<b>15.1.</b>	<b>Safety, health and environmental regulations/legislation specific for the substance or mixture</b>		
	EU regulations		
	Authorization and/or restrictions of use		
	Authorizations:	-	
	Restrictions:	-	
	Other EU regulations:	<p>Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC;</p> <p>Directive 2004/42/CE of the European Parliament and of the Council of 21 April 2004 on the limitation of emissions of volatile organic compounds due to the use of organic solvents in certain paints and varnishes and vehicle refinishing products and amending Directive 1999/13/EC;</p> <p>Council Directive 98/24/EC of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work;</p> <p>Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006;</p> <p>REACH Restrictions on the manufacturing, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII);</p>	
	Information according 1999/13/EC about limitation of emissions of volatile organic compounds (VOC-guideline)		
	National legislation:	<p>Chemicals Act, Regulation on classification, packaging and labeling of dangerous substances, Ordinance on occupational exposure limit values and on biological limit values, Regulation on categories, types and classification of waste with a waste catalog and list of hazardous waste, Ordinance on writing Material safety data sheet, Transport of Hazardous Substances Act</p>	
<b>15.2.</b>	<b>Chemical safety assessment</b>		
	None		

<b>SECTION 16. Other information</b>			
16.1.	Indication of changes:	-	
16.2.	Abbreviations and acronyms:	PBT	Stable, bioaccumulative and toxic
		vPvB	Strongly stable and strongly bioaccumulative.
		LD <sub>50</sub>	Lethal dose, 50%
		LC <sub>50</sub>	Lethal concentration, 50%
		STOT-SE	Specific target organ toxicity - single exposure

Trading name:	<b>BLUING REAGENT</b>		
Product code:	BR-OT-X**	Date of compilation:	23 January 2023
		Version:	7

16.3.	Key literature references and source of data:	-
16.4.	Classification and procedure used to derive the classification for mixture according to Regulation (EC) 1272/2008 (CLP)	
	Classification	Classification procedure
	-	-
16.5.	Relevant H statements (number and full text)	
	H:	-
16.6.	Training advice:	-
16.7.	Further information:	<p>** "X" in the product code marks different volumes (different packagings of the product)</p> <p>We are not responsible for consequences in case of failure to comply with instructions for use or improper use of the product described in this material safety data sheet.</p>

<b>ANNEX: Exposure scenario resulting to Chemical safety assessment</b>
-