




Trading name:	<b>POTASSIUM PERMANGANATE</b>				
Product code:	KPH-X**	Revision date:	06.08.2019.	Version:	2

<b>SECTION 1. Identification of the substance/mixture and of the company/undertaking</b>	
<b>1.1. Product identifier</b>	
Substance name:	POTASSIUM PERMANGANATE
EC No:	231-760-3
Synonyms:	Potassium (VII) manganate, Condy's crystals
Catalogue number:	KPH-X**
REACH registration number:	01-2119480139-34-XXXX
CAS No:	7722-64-7
Index no.:	025-002-00-9
<b>1.2. Relevant identified uses of the substance or mixture and uses advised against</b>	
Uses:	For microscopy.
Uses advised against:	Only the identified uses are advised.
Reason why uses advised against:	The product is intended for use only as an <i>in vitro</i> diagnostic medical device, registered at the Agency for Medicinal Products and Medical Devices and there is no reason to use it for other purposes.
<b>1.3. Details of the supplier of the safety data sheet</b>	
Supplier:	BioGnost Ltd.
Address:	Medjugorska 59, Zagreb
Telephone number:	+385 1 2409997
Fax no.:	+385 1 2404039
e-mail of competent person:	<a href="mailto:msds@biognost.hr">msds@biognost.hr</a>
National contact:	-
<b>1.4. Emergency telephone number</b>	
National Protection and Rescue Directorate:	112
Medical information:	+385 1 2348 342
Other information:	-

<b>SECTION 2. Hazards information</b>	
<b>2.1. Classification of the substance or mixture</b>	
<b>2.1.1. Classification according to Regulation (EC) No 1272/2008 (CLP)</b>	
Hazard class and category code:	Hazard statements*:
Ox. Sol. 2	H272
Acute Tox. 4 *	H302
Aquatic Acute 1	H400
Aquatic Chronic 1	H410
<b>2.1.2. Additional information</b>	
-	
*For full text of Hazard- and EU Hazard-statements: see Section 16	

Trading name:	<b>POTASSIUM PERMANGANATE</b>				
Product code:	KPH-X**	Revision date:	06.08.2019.	Version:	2

2.2.	Label elements	
	Product identification:	Potassium permanganate
	Identification number:	-
	Authorization no.:	-
	Hazard pictograms:	   GHS03                      GHS07                      GHS09
	Signal word:	Danger
	Hazard statements:	H272 May intensify fire; oxidizer. H302 Harmful if swallowed. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects.
	Precautionary statements:	P260 Do not breathe fumes. P264 Wash hands thoroughly after handling. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P314 Get medical advice/attention if you feel unwell. P501 Dispose of contents/container to the designated place.
	Supplemental hazard information (EU):	Strong oxidizer
2.3.	Other hazards	
	-	

SECTION 3. Composition/information on ingredients				
CAS No	EC No:	Index no.	Identification name	Weight % content (or range)
7722-64-7	231-760-3	025-002-00-9	Potassium permanganate	> 70

SECTION 4. First aid measures	
4.1.	Description of first aid measures
	General notes: The person who provides first aid must use personal protective equipment. Do not place anything in the mouth of the unconscious person and do not induce vomiting.
	Following inhalation: If breathing accident occurs: Provide the injured person with fresh air and enable the person to rest. If breathing is erratic or suspended, provide the person with artificial respiration (no directly mouth-to-mouth). Immediately call physician.
	Following skin contact: Remove/Take off immediately all contaminated clothing. Rinse skin

Trading name:	<b>POTASSIUM PERMANGANATE</b>				
Product code:	KPH-X**	Revision date:	06.08.2019.	Version:	2

		with water/shower. If skin irritation occurs: get medical advice/attention.
	Following eye contact:	Rinse with copious amounts of water for at least 15 minutes with eyelids open (remove contact lens if possible). If eye irritation persists: keep rinsing for a longer period of time and get medical advice/attention.
	Following ingestion:	Do not induce vomiting. Rinse the mouth thoroughly with water. Make the person drink up to 2.5 dcl of water. Call a POISON CENTER/physician if you feel unwell.
	Self-protection of the first aider:	Use personal protective equipment.
<b>4.2.</b>	<b>Most important symptoms and effects, both acute and delayed</b>	
	Following inhalation:	Potassium permanganate may cause airways irritation by causing edema of upper airways, chest tightness and cough.
	Following skin contact:	Concentrated solutions may cause serious irritation and burns in contact with skin. Diluted solutions may cause purple-brown skin discoloration and outer skin layer hardening.
	Following eye contact:	Eye exposure may cause discoloration of the conjunctiva, as well as cornea and conjunctiva burns.
	Following ingestion:	Nausea, vomiting. Risk from esophagus and stomach perforation.
<b>4.3.</b>	<b>Indication of any immediate medical attention and special treatment needed</b>	
	Treat symptomatically. Airways symptoms may occur belatedly. Secure the patient's vital functions screening.	

<b>SECTION 5. Firefighting measures</b>		
<b>5.1.</b>	<b>Extinguishing media</b>	
	Suitable extinguishing media:	Water spray, carbon dioxide, dry powder, alcohol resistant foam.
	Unsuitable extinguishing media:	Direct water stream.
<b>5.2.</b>	<b>Special hazards arising from the substance or mixture</b>	
	Hazardous combustion products:	Dangerous flammable gases or fumes may form in conditions of fire.
<b>5.3.</b>	<b>Advice for firefighters</b>	
	Use a self-contained open-circuit compressed air breathing apparatus and fireproof clothing. Cool closed containers exposed to fire with water spray or vapor.	
<b>5.4.</b>	<b>Additional information</b>	
	Supports combustion. Keep stored away from flammable materials. Dangerous flammable gases or fumes may form in conditions of fire.	

<b>SECTION 6. Accidental release measures</b>		
<b>6.1.</b>	<b>Personal precautions, protective equipment and emergency procedures</b>	
<b>6.1.1.</b>	<b>For non-emergency personnel</b>	
	Protective equipment:	Use protective equipment in accordance with Section 8. Do not get in eyes or on skin. Do not inhale dust. Remove the persons

Trading name:	<b>POTASSIUM PERMANGANATE</b>				
Product code:	KPH-X**	Revision date:	06.08.2019.	Version:	2

		not directly involved in rescuing procedure from the scene of event.
	Accident prevention methods:	Keep away from heat, flames and sparks. Secure proper ventilation. Prevent dust forming on surfaces.
	Emergency procedures:	In case of accident secure the location and evacuate the personnel not involved in recovery. Recovery of contaminated area should only be conducted by qualified person that uses stipulated protective equipment.
6.1.2.	For emergency responders:	
	Personal protective equipment for firefighters in accordance with Section 5 of this document. Personal protective equipment for other intervening personnel in accordance with Section 8 of this document.	
6.2.	Environmental precautions:	
	Prevent the product from entering the environment; in case it enters environment, it is necessary to prevent the product from reaching waterways, drainage systems and soil. In the case of considerable environment contamination, contact National protection and rescue directorate.	
6.3.	Methods and material for containment and cleaning up	
6.3.1.	For creating barriers, covering and sealing:	Cap the drains. Collect, bundle and pump out everything that got spilled. Pay attention to the possible material restrictions (see Sections 7 and 10). Collect in dry form.
6.3.2.	Cleaning up:	Collect spilled/scattered. Dispose of as hazardous waste in accordance with local and national regulations.
6.3.3.	Other information:	-
6.4.	Reference to other sections	
	See Section 7 for information about secure handling. See Section 8 for information about personal protective equipment. See Section 13 for information about containment.	

<b>SECTION 7. Handling and storage</b>		
7.1.	Precautions for safe handling	
7.1.1.	Protection measures	
	Measures to prevent fire:	Keep stored away from flammable materials. Keep stored away from heat / sparks / open flames / hot surfaces - Do not smoke. Keep away from strong reducing agents. (See 10.3).
	Measures to prevent aerosol and dust generation:	DO NOT RAISE DUST
	Measures to protect the environment:	Keep the containers firmly closed in vertical position when the product is not used. Prevent the product from entering waterways, sewerage and drainage systems by using barrage and semi-barrage made of sand, as well as covering the drainage by using plastic foil.

Trading name:	<b>POTASSIUM PERMANGANATE</b>				
Product code:	KPH-X**	Revision date:	06.08.2019.	Version:	2

	Other measures:	-
7.1.2.	Advice on general occupational hygiene:	
	No eating, drinking and smoking allowed while using the product. Wash hands after using the product and after work. Remove the contaminated clothes and protective equipment before entering the eating area. Keep work clothes separate from other clothes. Act in accordance with Good laboratory practice.	
7.2.	Conditions for safe storage, including any incompatibilities	
	Technical measures and storage conditions:	Keep in dry, cold and well-ventilated space, protected from moisture, direct sunlight and heat source. The containers must be tightly closed. Maintain adequate ventilation of the rooms where the product is kept and handled.
	Packaging materials:	Manufacturer's original packaging.
	Requirements for storage rooms and vessels:	Different plastic materials.
	Advices for storage equipment:	Drainage system in the warehouse must not be placed directly into the sewers. Storage space must be marked according to the Chemicals Act.
	Further information on storage conditions:	-
7.3.	Specific end use(s)	
	Recommendations:	Secure stations for rinsing eyes and showering in the vicinity of work area.
	Industrial sector specific solutions:	No information available

<b>SECTION 8. Exposure controls/personal protection</b>				
8.1.	Control parameters			
Substance	CAS No	Occupational exposure limit values/short term values		Biological limit values
		ppm	mg/m <sup>3</sup>	
Potassium permanganate	7722-64-7	-/-	5 / -	-
Substance name:	Potassium permanganate			
EC No:	231-760-3	CAS No:	7722-64-7	
<b>DNEL</b>				
<b>Industrial</b>				
Route of exposure:	Acute effect local	Acute effect systemic	Chronic effect local	Chronic effect systemic
Oral	-	-	-	-
Inhalation	-	-	-	-
Dermal	-	-	-	-
Critical physical parameters: solubility, flammability, corrosivity:				

Trading name:	<b>POTASSIUM PERMANGANATE</b>				
Product code:	KPH-X**	Revision date:	06.08.2019.	Version:	2

<b>Consumer</b>				
<b>Route of exposure:</b>	Acute effect local	Acute effect systemic	Chronic effect local	Chronic effect systemic
Oral	-	-	-	-
Inhalation	-	-	-	-
Dermal	-	-	-	-

<b>PNEC</b>	
Environmental protection target	<b>PNEC</b>
Fresh water	No information available
Freshwater sediments	No information available
Marine water	No information available
Marine sediments	No information available
Food chain	No information available
Microorganisms in sewage treatment	No information available
Soil (agricultural)	No information available
Air	No information available

8.2.	Exposure controls	
8.2.1.	Appropriate engineering controls	
	Substance/mixture related measures to prevent exposure during identified uses:	Adequate ventilation of the rooms where the product is kept and handled. Prevent dust forming on surfaces. Do not eat, drink or smoke in the workspace. Wash hands well after every pause in work.
	Structural measures to prevent exposure:	In accordance with Section 7.
	Organizational measures to prevent exposure:	Secure stations for rinsing eyes and showering in the vicinity of work area.
	Technical measures to prevent exposure:	In accordance with Section 7.
8.2.2.	Personal protection equipment	
8.2.2.1.	Eye and face protection:	Safety glasses that stick to face (preventing splashing) or visor.
8.2.2.2.	Skin protection	
	Hand protection:	Protective gloves. Gloves material: Nitrile rubber Layer thickness: 0.11 mm Time period until breach: > 480 min
	Other skin protection:	Protective clothes made of cotton or similar material and footwear that cover the entire foot.
8.2.2.3.	Respiratory protection:	Filter half-mask for protection from particles or half-mask with a P2 particle filter.
8.2.2.4.	Thermal hazards:	Supports combustion
8.2.3.	Environmental exposure controls	

Trading name:	<b>POTASSIUM PERMANGANATE</b>		
Product code:	KPH-X**	Revision date:	06.08.2019. Version: 2

Substance/mixture related measures to prevent exposure:	Do not release to underground waters or in sewers. Avoid penetration to the ground. If the product endangers rivers, lakes or drain ditches, inform competent authorities.
Structural measures to prevent exposure:	In accordance with Section 6.
Organisational measures to prevent exposure:	In accordance with Section 6.
Technical measures to prevent exposure:	Secure stations for rinsing eyes and showering in the vicinity of work area.

## SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties			
		Value	Method
Physical state:		Solid	No information available
Color:		Dark violet	No information available
Odor:		No odor	No information available
Odor threshold:		No information available	No information available
pH:		9.1 (10 g/L, H <sub>2</sub> O, 20 °C)	No information available
Melting point / freezing point;		>240 °C (disintegrates)	No information available
Initial boiling point and boiling range:		No information available	No information available
Flash point:		No information available	No information available
Evaporation rate:		No information available	No information available
Flammability (solid, gas):		No information available	No information available
Upper/lower flammability or explosive limits:		No information available	No information available
Vapor pressure:		<0.001 kPa	No information available
Vapor density:		No information available	No information available
Relative density:		2.7 20°C	No information available
Bulk density:		~1300-1600kg/m <sup>3</sup>	No information available
Solubility(ies):		63 g/L 20°C	No information available
Partition coefficient: n-octanol/water (log Kow):		No information available	No information available
Auto-ignition temperature:		No information available	No information available
Decomposition temperature:		>240 °C	No information available
Viscosity:		No information available	No information available
Explosive properties:		With acetic acid, arsenic,	No information available

Trading name:	<b>POTASSIUM PERMANGANATE</b>				
Product code:	KPH-X**	Revision date:	06.08.2019.	Version:	2

		acetic anhydride, ammonia, phosphorus, glycerin, concentrated sulfuric acid.	
	Oxidising properties:	Strong oxidizer; Ox. Sol. 2	No information available
9.2.	Other information		
	-		

<b>SECTION 10. Stability and reactivity</b>		
10.1.	Reactivity:	Strong oxidizer
10.2.	Chemical stability:	The product is stable under standard conditions.
10.3.	Possibility of hazardous reactions:	Possibility of inflammation or formation of flammable gases or vapours with:
10.4.	Conditions to avoid:	gaseous hydrogen chloride, dimethyl sulfoxide, acetic anhydride, formaldehyde, pyridine, strong reducing agents, hydrogen sulfide, triethanolamine, acetic acid, anhydrides, ammonia, aldehydes, silanes, oxidizers, solvents, acids, mineral acids, oxalic acid, organic substances, flammable substances, hydrogen peroxide, glycerol, hydroxylamine, dimethylformamide, hydrogen fluoride, phosphorus, sulfur, ammonium compounds, alcohol, carbides, aluminum, antimony, arsenic.
10.5.	Incompatible materials:	Strong heating.
10.6.	Hazardous decomposition products:	No information available.

<b>SECTION 11. Toxicological information</b>					
11.1. Information on toxicological effects					
Acute toxicity:					
Route of exposure:	Method	Species	Dose LD <sub>50</sub> /LC <sub>50</sub>	Exposure time	Results
Oral exposure:	No information available	Rat	LD <sub>50</sub> 750 mg/kg	No information available	Severe burns to mouth and throat, danger of esophagus and stomach perforation. Nausea and vomiting. Absorption. Damage: Liver, kidneys, urethra, bladder.
		Human	LDLo 100 mg/kg		
Dermal exposure:	No information available	No information available	No information available	No information available	-



Trading name:	<b>POTASSIUM PERMANGANATE</b>				
Product code:	KPH-X**	Revision date:	06.08.2019.	Version:	2

Inhalation exposure:	No information available	No information available	No information available	No information available	Cough, shortness of breath, breathing in causes edemas in respiratory tract.
----------------------	--------------------------	--------------------------	--------------------------	--------------------------	--

**Specific target organ toxicity – single exposure (STOT SE):**

	Specific effects	Target organ	Note
Oral exposure:	No information available	No information available	-
Dermal exposure:	No information available	No information available	-
Inhalation exposure:	No information available	No information available	-

**Aspiration hazard:** No information available

**Irritation and corrosion**

	Exposure time	Species	Evaluation	Method	Note
Skin corrosion/irritation:	No information available	No information available	-	No information available	No information available
Serious eye damage/irritation	No information available	No information available	-	No information available	No information available

**Sensitization**

Dermal exposure:	No information available
Inhalation exposure:	No information available

**Symptoms related to the physical, chemical and toxicological characteristics**

Oral exposure:	Nausea and vomiting; danger from esophagus and stomach perforation
Dermal exposure:	Concentrated solution may cause severe irritations and burns, diluted solutions can cause purple-brown skin discoloration and hardening of the outer layer of skin
Inhalation exposure:	May cause airways irritation by causing edema of upper airways, chest tightness and cough
Eye exposure:	Conjunctiva discoloration and cornea and conjunctiva burns.

**Repeated dose toxicity (subacute, subchronic, chronic)**

	Dose	Exposure	Species	Method	Evaluation	Note
--	------	----------	---------	--------	------------	------

Trading name:	<b>POTASSIUM PERMANGANATE</b>				
Product code:	KPH-X**	Revision date:	06.08.2019.	Version:	2

		time				
Subacute oral	No information available	No information available	No information available	No information available	No information available	-
Subacute dermal	No information available	No information available	No information available	No information available	No information available	-
Subacute inhalation	No information available	No information available	No information available	No information available	No information available	-
Subchronic oral	No information available	No information available	No information available	No information available	No information available	-
Subchronic dermal	No information available	No information available	No information available	No information available	No information available	-
Subchronic inhalation	No information available	No information available	No information available	No information available	No information available	-
Chronic oral	No information available	No information available	No information available	No information available	No information available	-
Chronic dermal	No information available	No information available	No information available	No information available	No information available	-
Chronic inhalation	No information available	No information available	No information available	No information available	No information available	-

Specific target organ toxicity – repeated exposure (STOT RE):

	Specific effects	Target organ	Note
Subacute oral	No information available	No information available	-
Subacute dermal	No information available	No information available	-
Subacute inhalation	No information available	No information available	-
Subchronic oral	No information available	No information available	-
Subchronic dermal	No information available	No information available	-
Subchronic inhalation	No information available	No information available	-
Chronic oral	No information available	No information available	-
Chronic dermal	No information available	No information available	-
Chronic inhalation	No information available	No information available	-

Trading name:	<b>POTASSIUM PERMANGANATE</b>				
Product code:	KPH-X**	Revision date:	06.08.2019.	Version:	2

CMR effects (carcinogenicity, mutagenicity, reproductive toxicity)	
Carcinogenicity:	No information available
Mutagenicity <i>in-vitro</i> :	No information available
Genotoxicity:	No information available
Mutagenicity <i>in-vivo</i> :	No information available
Germ cell mutagenicity:	No information available
Reproductive toxicity:	No information available
Summary of evaluation of the CMR properties:	No information available
<b>11.2. Practical experiences:</b>	
Remarks relevant for classification:	No information available
Other remarks:	No information available
<b>11.3. General notes:</b>	
-	

<b>SECTION 12. Ecological information</b>						
<b>12.1. Toxicity</b>						
Acute (short-term) toxicity	Dose	Exposure time	Species	Method	Evaluation	Note
Fish	LC <sub>50</sub>	96 hours	No information available	No information available	No information available	-
Crustacea:	EC <sub>50</sub>	48 hours	No information available	No information available	No information available	-
Algae/aquatic plants	IC <sub>50</sub>	72 hours	No information available	No information available	No information available	-
Other organisms	-	-	-	-	-	-
Chronic (long-term) toxicity	Dose	Exposure time	Species	Method	Evaluation	Note
Fish	LC <sub>50</sub>	96 hours	No information available	No information available	No information available	-
Crustacea:	EC <sub>50</sub>	48 hours	No information available	No information available	No information available	-

Trading name:	<b>POTASSIUM PERMANGANATE</b>				
Product code:	KPH-X**	Revision date:	06.08.2019.	Version:	2

Algae/aquatic plants	IC <sub>50</sub>	72 hours	No information available	No information available	No information available	-
Other organisms	-	-	-	-	-	-

**12.2. Persistence and degradability**

Abiotic degradation

	Degradation half-lives	Method	Evaluation	Note
Marine water	No information available	No information available	No information available	-
Fresh water	No information available	No information available	No information available	-
Air	No information available	No information available	No information available	-
Soil	No information available	No information available	No information available	-

Biodegradation

% Degradation	Time (days)	Method	Evaluation	Note
No information available	No information available	No information available	No information available	-

**12.3. Bioaccumulative potential**

Partition coefficient: n-octanol/water (log Kow):

Value	Concentration	pH	°C	Method	Evaluation	Note
No information available	No information available	-	-	No information available	No information available	No information available

Bioconcentration factor (BCF)

Value	Species	Method	Evaluation	Note
No information available	No information available	No information available	No information available	No information available

Chronic ecotoxicity

Value	Dose	Exposure time	Species	Method	Evaluation	Note

Trading name:	<b>POTASSIUM PERMANGANATE</b>				
Product code:	KPH-X**	Revision date:	06.08.2019.	Version:	2

Chronic toxicity on fish	LC <sub>50</sub>	No information available	No information available	No information available	No information available	-
Chronic toxicity on crustacea (Daphnia)	EC <sub>50</sub>	No information available	No information available	No information available	No information available	-

**12.4. Mobility in soil**

Known or predicted distribution in environmental compartments:  
No information available

Surface tension:

	Value	°C	Concentration	Method	Note
	No information available	No information available	No information available	No information available	-

**Adsorption / desorption**

Transport	A/D coefficient Henry's constant	log Kow	Evaporation rate	Method	Note
Soil-water	No information available	No information available	No information available	No information available	-
Water-air	No information available	No information available	No information available	No information available	-
Soil-air	No information available	No information available	No information available	No information available	-

**12.5. Results of PBT and vPvB assessment**

No information available

**12.6. Other adverse effects**

No information available

**SECTION 13. Disposal considerations**

**13.1. Waste treatment methods**

**13.1.1. Product/Packaging disposal:**

Submit for disposal to the legal person authorized by the Ministry of Environmental and Nature Protection.

Trading name:	<b>POTASSIUM PERMANGANATE</b>				
Product code:	KPH-X**	Revision date:	06.08.2019.	Version:	2

13.1.2.	Waste codes/waste designations according to Law:
	No information available
13.1.3.	Waste treatment – relevant information:
	No information available
13.1.4.	Sewage disposal – relevant information:
	Waste must not be disposed of into the sewage system.
13.1.5.	Other disposal recommendations:
	Do not dispose of the product's remains into the sewage system. Submit the remains to the collectors authorized by the ministry in charge. Do not dispose of the packaging into the sewage system. Submit the packaging to the collectors authorized by the ministry in charge. Do not dispose of in places where ignition may occur.
13.1.6.	Relevant Community provisions:
	-

<b>SECTION 14 TRANSPORT INFORMATION</b>	
Transporting/shipment by road (ADR)	
UN number:	1490
UN proper shipping name:	POTASSIUM PERMANGANATE
Transport hazard class(es):	5.1
Packing group:	II
Environmental hazard(s):	-
Special precautions for user:	-
Transporting/shipment by rail (RID)	
UN number:	1490
UN proper shipping name:	POTASSIUM PERMANGANATE
Transport hazard class(es):	5.1
Packing group:	II
Environmental hazard(s):	-
Special precautions for user:	-
Transporting/shipment by inland waterways (ADN)	
UN number:	1490
UN proper shipping name:	POTASSIUM PERMANGANATE
Transport hazard class(es):	5.1
Packing group:	II
Environmental hazard(s):	-
Special precautions for user:	-

Trading name:	<b>POTASSIUM PERMANGANATE</b>				
Product code:	KPH-X**	Revision date:	06.08.2019.	Version:	2

Transporting/shipment by sea (IMDG)	
UN number:	1490
UN proper shipping name:	POTASSIUM PERMANGANATE
Transport hazard class(es):	5.1
Packing group:	II
Environmental hazard(s):	-
Special precautions for user:	-
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code:	-
Transporting/shipment by air (ICAO-TI/IATA-DGR)	
UN number:	1490
UN proper shipping name:	POTASSIUM PERMANGANATE
Transport hazard class(es):	5.1
Packing group:	II
Environmental hazard(s):	-
Special precautions for user:	-
Further information:	-

<b>SECTION 15. Regulatory information</b>	
15.1.	Safety, health and environmental regulations/legislation specific for the substance or mixture
	EU regulations
	Authorization and/or restrictions of use
	Authorizations: -
	Restrictions: -
Other EU regulations:	<p>EC Regulation No. 1906/2007 and EC Regulation No. 1272/2008 of the European Parliament and the European Council;</p> <p>The European Commission Regulation No. 453/2006 of 2010 on changes and amendments to the Regulation (EC) No. 1907/2006 of the European Parliament and Council on registration, evaluation, authorization and restriction of chemical substances (REACH);</p> <p>EC Regulation No. 2037/2000 of the European Parliament and Council from 29 June 2000 on substances that damage the ozone layer;</p> <p>EC Regulation No. 689/2008 of the European Parliament and Council from 17 June 2008 concerning the export and import of dangerous chemicals;</p> <p>EC Regulation No. 850/2004 of the European Parliament and Council from 29 April 2004 about persistent organic pollutants;</p> <p>Directive 2008/98/EC of the European Parliament and Council of 19 November 2008 on waste and repealing certain Directives</p>
	Information according 1999/13/EC about limitation of emissions of volatile organic compounds (VOC-

Trading name:	<b>POTASSIUM PERMANGANATE</b>				
Product code:	KPH-X**	Revision date:	06.08.2019.	Version:	2

guideline)	
National legislation:	Chemicals Act, Regulation on classification, packaging and labeling of dangerous substances, Ordinance on occupational exposure limit values and on biological limit values, Regulation on categories, types and classification of waste with a waste catalog and list of hazardous waste, Transport of Hazardous Substances Act
15.2.	Chemical safety assessment
	None

<b>SECTION 16. Other information</b>																			
16.1.	Indication of changes: -																		
16.2.	Abbreviations and acronyms: <table border="0"> <tr> <td>CSA</td> <td>Chemical Security Assessment</td> </tr> <tr> <td>CSR</td> <td>Chemical Security Report</td> </tr> <tr> <td>PBT</td> <td>Stable, bioaccumulative and toxic</td> </tr> <tr> <td>vPvB</td> <td>Strongly stable and strongly bioaccumulative.</td> </tr> <tr> <td>STOT-RE</td> <td>Specific target organ toxicity – repeated exposure</td> </tr> <tr> <td>STOT-SE</td> <td>Specific target organ toxicity – single exposure</td> </tr> <tr> <td>UVCB</td> <td>Substances with an unknown and variable composition, complex reaction products or biological material</td> </tr> <tr> <td>LD50</td> <td>Lethal dose, 50%</td> </tr> <tr> <td>LC50</td> <td>Lethal concentration, 50%</td> </tr> </table>	CSA	Chemical Security Assessment	CSR	Chemical Security Report	PBT	Stable, bioaccumulative and toxic	vPvB	Strongly stable and strongly bioaccumulative.	STOT-RE	Specific target organ toxicity – repeated exposure	STOT-SE	Specific target organ toxicity – single exposure	UVCB	Substances with an unknown and variable composition, complex reaction products or biological material	LD50	Lethal dose, 50%	LC50	Lethal concentration, 50%
CSA	Chemical Security Assessment																		
CSR	Chemical Security Report																		
PBT	Stable, bioaccumulative and toxic																		
vPvB	Strongly stable and strongly bioaccumulative.																		
STOT-RE	Specific target organ toxicity – repeated exposure																		
STOT-SE	Specific target organ toxicity – single exposure																		
UVCB	Substances with an unknown and variable composition, complex reaction products or biological material																		
LD50	Lethal dose, 50%																		
LC50	Lethal concentration, 50%																		
16.3.	Key literature references and source of data: -																		
16.4.	Relevant H statements (number and full text) <table border="0"> <tr> <td>H:</td> <td>272</td> <td>May intensify fire; oxidizer.</td> </tr> <tr> <td></td> <td>302</td> <td>Harmful if swallowed.</td> </tr> <tr> <td></td> <td>400</td> <td>Very toxic to aquatic life.</td> </tr> <tr> <td></td> <td>410</td> <td>Very toxic to aquatic life with long lasting effects.</td> </tr> </table>	H:	272	May intensify fire; oxidizer.		302	Harmful if swallowed.		400	Very toxic to aquatic life.		410	Very toxic to aquatic life with long lasting effects.						
H:	272	May intensify fire; oxidizer.																	
	302	Harmful if swallowed.																	
	400	Very toxic to aquatic life.																	
	410	Very toxic to aquatic life with long lasting effects.																	
16.5.	Training advice: -																		
16.6.	Further information: <p>** "X" in the product code marks different volumes (different packaging of the product)</p> <p>We are not responsible for consequences in case of failure to comply with instructions for use or improper use of the product described in this material safety data sheet.</p>																		

<b>ANNEX:</b>
<b>EXPOSURE SCENARIO RESULTING TO CHEMICAL SAFETY ASSESSMENT</b>
-