

Trading name:	<b>TB PERMANGANATE REAGENT</b>				
Product code:	TBP-OT-X**	Date of compilation:	21 Dec 2022	Version:	6

<b>SECTION 1: Identification of the substance/mixture and of the company/undertaking</b>		
1.1	Product identifier	
	Trading name:	TB PERMANGANATE REAGENT
	Chemical name:	-
	Catalogue number:	TBP-OT-X**
1.2	Relevant identified uses of the substance or mixture and uses advised against	
	Uses:	Counterstain for use in TB-Stain Fluorescent kit and TB-Stain Auramine O kits.
	Uses advised against:	Only the identified uses are advised.
	Reason why uses advised against:	The product is intended for use only as an <i>in vitro</i> diagnostic medical device, registered at the Agency for Medicinal Products and Medical Devices and there is no reason to use it for other purposes.
1.3	Details of the supplier of the safety data sheet	
	Supplier:	BioGnost Ltd.
	Address:	Medjugorska 59, Zagreb
	Telephone number:	+385 1 2409997
	Telefax.:	+385 1 2404039
	e-mail of competent person:	<a href="mailto:msds@biognost.hr">msds@biognost.hr</a>
	National contact:	-
1.4	Emergency telephone number	
	National Protection and Rescue Directorate:	112
	Medical information:	+385 1 2348 342
	Other information:	-

<b>SECTION 2. Hazards identification</b>		
2.1	Classification of the substance or mixture	
2.1.1	Classification according to Regulation (EC) No 1272/2008 (CLP)	
	Hazard class and category code:	Hazard statements*:
	Aquatic Chronic 3	H412
2.1.2.	Additional information	
	-	
*For full text of Hazard- and EU Hazard-statements: see SECTION 16		
2.2	Label elements	
	Product identification:	TB PERMANGANATE REAGENT
	Identification number:	-
	Authorization number:	-

Trading name:	<b>TB PERMANGANATE REAGENT</b>				
Product code:	TBP-OT-X**	Date of compilation:	21 Dec 2022	Version:	6

Hazard pictograms:	-
Signal word:	-
Hazard statements:	H412 Harmful to aquatic life with long lasting effects.
Precautionary statements:	P273 Avoid release to the environment P501 Dispose of contents/container in accordance with local regulations.
Supplemental hazard information (EU):	-

2.3	Other hazards
<b>Endocrine Disrupting Properties:</b> No known endocrine disrupting properties	
<b>Results of PBT and vPvB assessment:</b> According to the results of its assessment, this substance is not a PBT or a vPvB.	

<b>SECTION 3. Composition/information on ingredients</b>				
--	--	--	--	--

CAS/ EC/ Index number	REACH Registration No	Weight % content (or range)	Identification name	Classification according to Regulation (EC) No 1272/2008 (CLP)
7722-64-7/ 231-760-3/ 025-002-00-9	-	<1%	potassium permanganate	Ox. Sol. 2; H272 Acute Tox. 4; H302 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 Repr. 2; H361d

<b>SECTION 4. First aid measures</b>	
--------------------------------------	--

4.1	Description of first aid measures
General notes:	If the suggested first aid measures do not prove sufficient, seek medical attention.
Following inhalation:	Carry the afflicted person out of the contaminated area into a well-ventilated area or out for fresh air. In case of difficult breathing, provide the afflicted person with oxygen.
Following skin contact:	Remove contaminated clothing. Immediately wash with plenty of water for at least 20 minutes. Seek medical assistance if the symptoms of irritation remain.
Following eye contact:	Rinse out with plenty of water with the eyelid held wide open for at least 20 minutes. If the symptoms remain, immediately call in ophthalmologist.
Following ingestion:	Rinse the oral cavity, drink 1-2 glasses of water. Immediately consult a physician and show the container or label. In case of swallowing large quantities, transport the afflicted person to the hospital.

Trading name:	<b>TB PERMANGANATE REAGENT</b>				
Product code:	TBP-OT-X**	Date of compilation:	21 Dec 2022	Version:	6

	Self-protection of the first aider:	-
4.2	Most important symptoms and effects, both acute and delayed	
	Following inhalation:	Depending on concentration and exposure time, it may lead to mucosa irritation, cough, and dyspnea.
	Following skin contact:	Depending on concentration and exposure time, it may lead to irritation, rash, skin drying and skin cracking.
	Following eye contact:	Depending on concentration and exposure time, it may lead to irritation, tearing, redness and pain.
	Following ingestion:	Depending on concentration and exposure time, it may lead to stinging and digestive mucus damage, abdominal pain, nausea, vomiting.
4.3	Indication of any immediate medical attention and special treatment needed	
	-	

<b>SECTION 5. Firefighting measures</b>		
5.1	Extinguishing media	
	Suitable extinguishing media:	Water spray, foam, dry powder, CO <sub>2</sub>
	Unsuitable extinguishing media:	No information available
5.2	Special hazards arising from the substance or mixture	
	Hazardous combustion products:	May product toxic fumes of carbon monoxide if burning.
5.3	Advice for firefighters	
	Use a self-contained open-circuit compressed air breathing apparatus and fireproof clothing.	
5.4	Additional information	
	Do not contaminate the environment with extinguishing media.	

<b>SECTION 6. Accidental release measures</b>		
6.1	Personal precautions, protective equipment and emergency procedures	
6.1.1.	For non-emergency personnel	
	Protective equipment:	Use personal protective equipment (see Section 8).
	Accident prevention methods:	Evacuate members of all non-essential personnel and those members without protective equipment. Avoid breathing vapors and avoid contact with skin and eyes. Do not smoke.
	Emergency procedures:	Mark the area using proper signs.
6.1.2.	For emergency responders:	
	Use protective equipment; in case of inadequate ventilation use adequate airways protective equipment (see Section 8).	
6.2	Environmental precautions:	

Trading name:	<b>TB PERMANGANATE REAGENT</b>				
Product code:	TBP-OT-X**	Date of compilation:	21 Dec 2022	Version:	6

	Do not dispose of in sewage, drainage system and waterways. In case of large spillage contact National Protection and Rescue Directorate (NPRD) on 112.	
<b>6.3</b>	<b>Methods and material for containment and cleaning up</b>	
6.3.1.	Bunding, covering of drains; capping procedures:	Sand or clay barriers.
6.3.2.	Cleaning up:	Where possible, the substance can be absorbed by using absorbing material. Place the waste material in tightly closed impermeable containers. Store the substance in well ventilated storage rooms until disposal. Submit for disposal to the legal persons authorized by the Ministry of Environmental and Nature Protection. After disposal of the products, wash the area and involved materials with water.
6.3.3.	Other information:	Do not use incompatible materials (see Section 10).
<b>6.4</b>	<b>Reference to other sections</b>	
	See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.	

<b>SECTION 7. Handling and storage</b>		
<b>7.1</b>	<b>Precautions for safe handling</b>	
7.1.1.	<b>Protection measures</b>	
	Measures to prevent fire:	Use in well ventilated storage rooms. Keep away from sources of ignition and heat.
	Measures to prevent aerosol and dust generation:	Secure proper ventilation.
	Measures to protect the environment:	Prevent spilling into the sewage system and waterways.
	Other measures:	-
7.1.2.	<b>Advice on general occupational hygiene:</b>	
	Do not eat, drink or smoke in the workspace. Thoroughly wash hands after work and before eating.	
<b>7.2</b>	<b>Conditions for safe storage, including any incompatibilities</b>	
	Technical measures and storage conditions:	Keep in tightly closed and upright set containers in a well ventilated storage rooms at temperatures ranging from 15 to 25 °C.
	Packaging materials:	Manufacturer's original packaging. Avoid metal containers.
	Requirements for storage rooms and vessels:	Keep away from food and drink. Keep the containers tightly closed.
	Advices for storage equipment:	The storage must be made of hard material; floors must be resistant to chemicals. There must be no drain that directly leads into sewage system. Secure proper ventilation.

Trading name:	<b>TB PERMANGANATE REAGENT</b>				
Product code:	TBP-OT-X**	Date of compilation:	21 Dec 2022	Version:	6

	Further information on storage conditions:	Do not place the unused material in the storage room and do not use empty containers for storing other chemicals. Do not store with incompatible materials (see Section 10).
7.3	Specific end use(s)	
	Recommendations:	-
	Industrial sector specific solutions:	-

**SECTION 8. Exposure controls/personal protection**

**8.1 Control parameters**

Substance	CAS No	Occupational exposure limit values/short term values		Biological limit values
		ppm	mg/m <sup>3</sup>	
Potassium permanganate	7722-64-7	-	0.5	-

Substance name:	-		
EC No:	-	CAS No:	-

**DNEL**

**Industrial**

Route of exposure:	Acute effect local	Acute effect systemic	Chronic effect local	Chronic effect systemic
Oral	-	-	-	-
Inhalation	-	-	-	0.218 mg/m <sup>3</sup> (potassium permanganate)
Dermal	-	-	-	-

Critical physical parameters: solubility, flammability, corrosivity: -

**Consumer**

Route of exposure:	Acute effect local	Acute effect systemic	Chronic effect local	Chronic effect systemic
Oral	-	-	-	-
Inhalation	-	-	-	-
Dermal	-	-	-	-

**PNEC**

Environmental protection target	PNEC
Fresh water	0.06 µg/l (potassium permanganate)
Freshwater sediments	no information available
Marine water	no information available

Trading name:	<b>TB PERMANGANATE REAGENT</b>				
Product code:	TBP-OT-X**	Date of compilation:	21 Dec 2022	Version:	6

Marine sediments	no information available
Food chain	no information available
Microorganisms in sewage treatment	1.64 mg/l (potassium permanganate)
Soil (agricultural)	no information available
Air	no information available

8.2	Exposure controls
-----	-------------------

8.2.1.	Appropriate engineering controls
--------	----------------------------------

	Substance/mixture related measures to prevent exposure during identified uses:	Use the product in well ventilated rooms. Use personal protective equipment. Do not eat, drink or smoke in the workspace.
	Structural measures to prevent exposure:	In accordance with Section 7.
	Organisational measures to prevent exposure:	Organization of work in order to reduce other worker's influence during work process.
	Technical measures to prevent exposure:	Secure proper workspace ventilation in order to keep concentration levels in air below permitted levels. Secure stations for rinsing eyes and showering.

8.2.2.	Personal protection equipment
--------	-------------------------------

8.2.2.1.	Eye and face protection:	Safety glasses that stick to face (EN 166) or visor in case of lower levels of concentration in air; protective gas mask that covers the entire face in case of higher levels of concentration in air.
8.2.2.2.	Skin protection	
	Hand protection:	Protective nitrile gloves, >0.11 mm thick (EN 374).
	Other skin protection:	Wear antistatic clothing made of natural fibers (such as cotton) with long sleeves (EN 340) and shoes that cover the entire foot.
8.2.2.3.	Respiratory protection:	Not required under normal conditions of use. Use suitable respiratory protective device when high concentrations are present.
8.2.2.4.	Thermal hazards:	No information available

8.2.3.	Environmental exposure controls
--------	---------------------------------

	Substance/mixture related measures to prevent exposure:	See Section 6
	Structural measures to prevent exposure:	Use modern equipment.
	Organisational measures to prevent exposure:	Adapt the work process to the required working conditions of the workplace.

Trading name:	<b>TB PERMANGANATE REAGENT</b>				
Product code:	TBP-OT-X**	Date of compilation:	21 Dec 2022	Version:	6

Technical measures to prevent exposure:	See Section 6
---	---------------

**SECTION 9. Physical and chemical properties**

9.1	Information on basic physical and chemical properties		
	Value	Method	
Physical state:	liquid	No information available	
Colour:	dark purple	No information available	
Odour/odour threshold:	odourless/no information available	No information available	
Melting point / freezing point:	No information available	No information available	
Boiling point or initial boiling point and boiling range:	No information available	No information available	
Flammability:	No information available	No information available	
Lower and upper explosion limit:	No information available	No information available	
Flash point:	No information available	No information available	
Auto-ignition temperature:	No information available	No information available	
Decomposition temperature:	No information available	No information available	
pH:	6.1 – 6.9	No information available	
Kinematic viscosity:	No information available	No information available	
Solubility:	No information available	No information available	
Partition coefficient n-octanol/water (log value):	No information available	No information available	
Vapour pressure:	No information available	No information available	
Density and/or relative density:	No information available	No information available	
Relative vapour density:	No information available	No information available	
Particle characteristics:	No information available	No information available	
9.2	Other information		
	-		

**SECTION 10. Stability and reactivity**

10.1	Reactivity:	See subsections 10.3 through 10.5.
10.2	Chemical stability:	The product is chemically stable under standard ambient conditions of storing and using (room temperature).
10.3	Possibility of hazardous reactions:	No dangerous reactions known.
10.4	Conditions to avoid:	Avoid heat, sparks, open flames and other ignition sources.

Trading name:	<b>TB PERMANGANATE REAGENT</b>				
Product code:	TBP-OT-X**	Date of compilation:	21 Dec 2022	Version:	6

10.5	Incompatible materials:	Reducing agents, sulfuric acid, flammables, metals and reactive organic materials.
10.6	Hazardous decomposition products:	Carbon oxides (CO, CO <sub>2</sub> ). Oxygen, oxides of potassium and manganese.

**SECTION 11. Toxicological information**

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity:

Route of exposure:	Method	Species	Dose LD <sub>50</sub> /LC <sub>50</sub> or ATE <sub>mix</sub>	Exposure time	Results
Oral:	-	rat	LD <sub>50</sub>	-	750 mg/kg (potassium permanganate)
Dermal:	-	-	-	-	-
Inhalation:	-	-	-	-	-

Specific target organ toxicity – single exposure (STOT SE):

	Specific effects	Target organ	Note
Oral:	No information available	No information available	-
Dermal:	No information available	No information available	-
Inhalation:	No information available	No information available	-

Aspiration hazard: No information available.

Irritation and corrosion

	Exposure time	Species	Evaluation	Method	Note
Skin corrosion/irritation:	-	-	-	-	-
Serious eye damage/irritation	-	-	-	-	-

Sensitization

Skin sensitization:	-
Respiratory sensitization:	-

Symptoms related to the physical, chemical and toxicological characteristics

Oral exposure:	No information available.
----------------	---------------------------



Trading name:	<b>TB PERMANGANATE REAGENT</b>				
Product code:	TBP-OT-X**	Date of compilation:	21 Dec 2022	Version:	6

Dermal exposure:	No information available.
Inhalation exposure:	No information available.
Eye exposure:	No information available.

Repeated dose toxicity (subacute, subchronic, chronic)

	Dose	Exposure time	Species	Method	Evaluation	Note
Subacute oral	No information available	No information available	No information available	No information available	No information available	-
Subacute dermal	No information available	No information available	No information available	No information available	No information available	-
Subacute inhalation	No information available	No information available	No information available	No information available	No information available	-
Subchronic oral	No information available	No information available	No information available	No information available	No information available	-
Subchronic dermal	No information available	No information available	No information available	No information available	No information available	-
Subchronic inhalation	No information available	No information available	No information available	No information available	No information available	-
Chronic oral	No information available	No information available	No information available	No information available	No information available	-
Chronic dermal	No information available	No information available	No information available	No information available	No information available	-
Chronic inhalation	No information available	No information available	No information available	No information available	No information available	-

Specific target organ toxicity – repeated exposure (STOT RE):

	Specific effects	Target organ	Note
Subacute oral	No information available	No information available	-
Subacute dermal	No information available	No information available	-
Subacute inhalation	No information available	No information available	-

Trading name:	<b>TB PERMANGANATE REAGENT</b>			
Product code:	TBP-OT-X**	Date of compilation:	21 Dec 2022	Version: 6

Subchronic oral	No information available	No information available	-
Subchronic dermal	No information available	No information available	-
Subchronic inhalation	No information available	No information available	-
Chronic oral	No information available	No information available	-
Chronic dermal	No information available	No information available	-
Chronic inhalation	No information available	No information available	-

CMR effects (carcinogenicity; mutagenicity; reproductive toxicity)	
Carcinogenicity:	No information available.
Mutagenicity <i>in vitro</i> :	No information available.
Genotoxicity:	No information available.
Mutagenicity <i>in vivo</i> :	No information available.
Germ cell mutagenicity:	No information available.
Reproductive toxicity:	No information available.
Summary of evaluation of the CMR properties:	No information available.

11.2	Information on other hazards:
11.2.1.	Endocrine disrupting properties:
	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
11.2.2.	Other informations:
	-

SECTION 12. Ecological information						
12.1 Toxicity						
Acute (short-term) toxicity	Dose	Exposure time	Species	Method	Evaluation	Note
Fish	LC <sub>50</sub>	96 hours	<i>Oncorhynchus mykiss</i> (rainbow trout)	-	-	0.3 – 0.6 mg/l (potassium permanganate)

Trading name:	<b>TB PERMANGANATE REAGENT</b>				
Product code:	TBP-OT-X**	Date of compilation:	21 Dec 2022	Version:	6

Crustacea:	EC <sub>50</sub>	48 hours	<i>Daphnia magna (Water flea)</i>	-	-	0.084 mg/l (potassium permanganate)
Algae/aquatic plants	IC <sub>50</sub>	4 days	-	-	-	-
Other organisms	-	-	-	-	-	-

Chronic (long-term) toxicity	Dose	Exposure time	Species	Method	Evaluation	Note
Fish	LC <sub>50</sub>	96 hours	No information available	No information available	No information available	-
Crustacea:	EC <sub>50</sub>	48 hours	No information available	No information available	No information available	-
Algae/aquatic plants	IC <sub>50</sub>	72 hours	No information available	No information available	No information available	-
Other organisms	-	-	-	-	-	-

<b>12.2</b>	<b>Persistence and degradability</b>
-------------	--------------------------------------

	Abiotic degradation
--	---------------------

	Degradation half-lives	Method	Evaluation	Note
Marine water	No information available	No information available	No information available	-
Fresh water	No information available	No information available	No information available	-
Air	No information available	No information available	No information available	-
Soil	No information available	No information available	No information available	-

	Biodegradation
--	----------------

% Degradation	Time (days)	Method	Evaluation	Note
No information available	No information available	No information available	No information available	No information available

<b>12.3</b>	<b>Bioaccumulative potential</b>
-------------	----------------------------------

	Octanol-water partition coefficient (log K <sub>ow</sub> )
--	--

Trading name:	<b>TB PERMANGANATE REAGENT</b>				
Product code:	TBP-OT-X**	Date of compilation:	21 Dec 2022	Version:	6

Value	Concentration	pH	°C	Method	Evaluation	Note
-	-	-	-	-	-	-

Bioconcentration factor (BCF)

Value	Species	Method	Evaluation	Note
No information available	No information available	No information available	No information available	-

Chronic ecotoxicity

Value	Dose	Exposure time	Species	Method	Evaluation	Note
Chronic toxicity on fish	LC <sub>50</sub>	No information available	No information available	No information available	No information available	-
Chronic toxicity on crustacea ( <i>Daphnia</i> )	EC <sub>50</sub>	No information available	No information available	No information available	No information available	-

**12.4 Mobility in soil**

Known or predicted distribution in environmental compartments:

No information available

Surface tension:

Value	°C	Concentration	Method	Note
No information available	No information available	No information available	No information available	-

Adsorption / desorption

Transport	A/D coefficient Henry's constant	log Kow	Evaporation rate	Method	Note
Soil-water	No information available	No information available	No information available	No information available	-

Trading name:	<b>TB PERMANGANATE REAGENT</b>				
Product code:	TBP-OT-X**	Date of compilation:	21 Dec 2022	Version:	6

Water-air	No information available	No information available	No information available	No information available	-
Soil-air	No information available	No information available	No information available	No information available	-

**12.5. Results of PBT and vPvB assessment**

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

**12.6. Endocrine disrupting properties**

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

**12.7. Other adverse effects**

No information available

**SECTION 13. Disposal considerations**

**13.1 Waste treatment methods**

**13.1.1. Product/Packaging disposal:**

Submit for disposal to the legal person authorized by the Ministry of Environmental and Nature Protection.

**13.1.2. Waste codes/waste designations according to Law:**

Packaging that contains residual hazardous substances or is contaminated with hazardous substances

**13.1.3. Waste treatment – relevant information:**

No information available

**13.1.4. Sewage disposal – relevant information:**

Waste must not be disposed of into the sewage system.

**13.1.5. Other disposal recommendations:**

Do not dispose of the product's remains into the sewage system. Submit the remains to the collectors authorized by the ministry in charge. Do not dispose of the packaging into the sewage system. Submit the packaging to the collectors authorized by the ministry in charge.

Trading name:	<b>TB PERMANGANATE REAGENT</b>				
Product code:	TBP-OT-X**	Date of compilation:	21 Dec 2022	Version:	6

13.1.6.	Relevant Community provisions:
	-

**SECTION 14 TRANSPORT INFORMATION**

Transporting/shipment by road (ADR)

UN number:	3082
UN proper shipping name:	Environmentally hazardous substance, liquid, n.o.s. (potassium permanganate)
Transport hazard class(es):	9
Packing group:	III
Environmentally hazardous:	-
Special precautions for user:	-

Transporting/shipment by rail (RID)

UN number:	3082
UN proper shipping name:	Environmentally hazardous substance, liquid, n.o.s. (potassium permanganate)
Transport hazard class(es):	9
Packing group:	III
Environmentally hazardous:	-
Special precautions for user:	-

Inland waterway transport (ADN)

UN number:	3082
UN proper shipping name:	Environmentally hazardous substance, liquid, n.o.s. (potassium permanganate)
Transport hazard class(es):	9
Packing group:	III
Environmentally hazardous:	-
Special precautions for user:	-

Transporting/shipment by sea (IMDG)

UN number:	3082
UN proper shipping name:	Environmentally hazardous substance, liquid, n.o.s. (potassium permanganate)
Transport hazard class(es):	9
Packing group:	III
Environmentally hazardous:	-
Special precautions for user:	-

Trading name:	<b>TB PERMANGANATE REAGENT</b>				
Product code:	TBP-OT-X**	Date of compilation:	21 Dec 2022	Version:	6

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code:	-
Transporting/shipment by air (ICAO-TI/IATA-DGR)	
UN number:	3082
UN proper shipping name:	Environmentally hazardous substance, liquid, n.o.s. (potassium permanganate)
Transport hazard class(es):	9
Packing group:	III
Environmentally hazardous:	-
Special precautions for user:	-
Further information:	Packages smaller than or equal to 5 kg / L, not dangerous goods of Class 9.

<b>SECTION 15. Regulatory information</b>	
15.1	Safety, health and environmental regulations/legislation specific for the substance or mixture
EU regulations	
Authorization and/or restrictions of use	
Authorizations:	-
Restrictions:	-
Other EU regulations:	<p>Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC;</p> <p>Directive 2004/42/CE of the European Parliament and of the Council of 21 April 2004 on the limitation of emissions of volatile organic compounds due to the use of organic solvents in certain paints and varnishes and vehicle refinishing products and amending Directive 1999/13/EC;</p> <p>Council Directive 98/24/EC of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work;</p> <p>Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006;</p> <p>REACH Restrictions on the manufacturing, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII);</p>
Information according 1999/13/EC about limitation of emissions of volatile organic compounds (VOC-guideline)	

Trading name:	<b>TB PERMANGANATE REAGENT</b>				
Product code:	TBP-OT-X**	Date of compilation:	21 Dec 2022	Version:	6

	National legislation:	Chemicals Act, Regulation on classification, packaging and labeling of dangerous substances, Ordinance on occupational exposure limit values and on biological limit values, Regulation on categories, types and classification of waste with a waste catalog and list of hazardous waste, Ordinance on writing Material safety data sheet, Transport of Hazardous Substances Act
15.2	Chemical safety assessment	
	None	

<b>SECTION 16. Other information</b>		
16.1	Indication of changes:	-
16.2	Abbreviations and acronyms:	ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (UK REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative
16.3.	Key literature references and source of data:	-
16.4.	Classification and procedure used to derive the classification for mixture according to Regulation (EC) 1272/2008 (CLP)	
	Classification	Classification procedure
	-	-
16.5.	Relevant H statements (number and full text)	
	272 302 H: 361d 400 410 412	May intensify fire; oxidiser. Harmful if swallowed. Suspected of damaging the unborn child. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects. Harmful to aquatic life with long lasting effects
16.6.	Training advice:	-
16.7.	Further information:	** "X" in the product code marks different volumes (different packagings of the product) We are not responsible for consequences in case of failure to comply with instructions for use or improper use of the product described in this material safety data sheet.



Trading name:	<b>TB PERMANGANATE REAGENT</b>				
Product code:	TBP-OT-X**	Date of compilation:	21 Dec 2022	Version:	6

<b>ANNEX: Exposure scenario resulting to chemical safety assessment</b>
-